

Skyforce

Juliet Balcony



Skyforce

Almost invisible Juliet balconies

The Skyforce Juliet balcony system is an almost invisible system which can be quickly and easily mounted, with installation by means of its simple "slide and click" design. This saves unnecessary frustration and gives you valuable additional time and profit potential.

An extremely cost-effective solution compared to other types of Juliet balcony systems, especially as no glass processing is required, it can accommodate a single glass width of up to 3000 mm using one complete 2-part system. It benefits from offering a completely frameless appearance from an internal viewing position, whilst still providing the necessary fall protection expected from a Juliet balcony.

Product Highlights:

- Quick and simple mounting
- Pre-assembled sets for the most popular glass thicknesses
- Aluminium anodised finish as standard
- Maximum width up to 3000 mm
- Suitable for plastic, aluminium, and wooden frames
- Mounting onto stone, concrete, and steel
- With General Building Inspection Test Certificate ABP and BS6180

GLASS WIDTH UP TO	GLASS THICKNESS
1100 mm	12.76 mm
1700 mm	17.52 mm
3000 mm	21.52 mm



riba
product
selector

Essential features:

- Easy ordering thanks to pre-assembled sets of 900, 1000, and 1100 mm glass heights
- No glass processing required
- With drainage channels
- Almost tool-free installation
- RAL colours and mill finishes available by special request
- Other glass thicknesses available by special request






Skyforce Juliet balcony, Face Fixed

Face fixed, complete set 1100 mm



DESCRIPTION	ART. NO.
with rubber set for 12 - 13.52 mm glass thickness	BO 6001003
with rubber set for 16 - 17.52 mm glass thickness	BO 6001006
with rubber set for 20 - 21.52 mm glass thickness	BO 6001009

i Finish aluminium, plain anodised · for glass height 1100 mm



Face fixed, centre piece 1100 mm



DESCRIPTION	ART. NO.
with rubber set for 12 - 13.52 mm glass thickness	BO 6001010
with rubber set for 16 - 17.52 mm glass thickness	BO 6001011
with rubber set for 20 - 21.52 mm glass thickness	BO 6001012




i Finish aluminium, plain anodised · for glass height 1100 mm

Face fixed, complete set 1000 mm



DESCRIPTION	ART. NO.
with rubber set for 12 - 13.52 mm glass thickness	BO 6001002
with rubber set for 16 - 17.52 mm glass thickness	BO 6001005
with rubber set for 20 - 21.52 mm glass thickness	BO 6001008

 Finish aluminium, plain anodised · for glass height 1000 mm






Face fixed, complete set 900 mm



DESCRIPTION	ART. NO.
with rubber set for 12 - 13.52 mm glass thickness	BO 6001001
with rubber set for 16 - 17.52 mm glass thickness	BO 6001004
with rubber set for 20 - 21.52 mm glass thickness	BO 6001007

 Finish aluminium, plain anodised · for glass height 900 mm






Face fixed, complete set 1100 mm, RAL 7016



DESCRIPTION	ART. NO.
with rubber set for 12 - 13.52 mm glass thickness	BO 6001040
with rubber set for 16 - 17.52 mm glass thickness	BO 6001041
with rubber set for 20 - 21.52 mm glass thickness	BO 6001042

 Anthracite grey pre-finished set · for glass height 1100 mm



RAL Colours

Our Skyforce Juliet balcony complete sets are also available in RAL colours. RAL7016 Anthracite grey 1100 mm high face fixed sets available as standard. Other RAL colours and sizes available on request.




Skyforce Juliet balcony, Side Fixed

Side fixed, complete set 1100 mm



DESCRIPTION	ART. NO.
with rubber set for 12 - 13.52 mm glass thickness	BO 6001033
with rubber set for 16 - 17.52 mm glass thickness	BO 6001036
with rubber set for 20 - 21.52 mm glass thickness	BO 6001039

i Finish aluminium, plain anodised · for glass height 1100 mm






Side fixed, complete set 1000 mm



DESCRIPTION	ART. NO.
with rubber set for 12 - 13.52 mm glass thickness	BO 6001032
with rubber set for 16 - 17.52 mm glass thickness	BO 6001035
with rubber set for 20 - 21.52 mm glass thickness	BO 6001038

i Finish aluminium, plain anodised · for glass height 1000 mm






Side fixed, complete set 900 mm



DESCRIPTION	ART. NO.
with rubber set for 12 - 13.52 mm glass thickness	BO 6001031
with rubber set for 16 - 17.52 mm glass thickness	BO 6001034
with rubber set for 20 - 21.52 mm glass thickness	BO 6001037

i Finish aluminium, plain anodised - for glass height 900 mm



Fixings & Accessories



Fixing anchor for steel

i Material stainless steel (AISI 316, exterior) · Packaging unit 10 items

ART. NO.

BO 6001017



Fixing anchor for concrete

i Material stainless steel (AISI 316, exterior) · Packaging unit 10 items

ART. NO.

BO 6001018



Fixing anchor for stone

i Material stainless steel (AISI 316, exterior) · Packaging unit 10 items

ART. NO.

BO 6001019



Fixing anchor for aluminium frames

i Material stainless steel (AISI 316, exterior) · Packaging unit 10 items

ART. NO.

BO 6001015



Fixing anchor for wooden frames

i Material stainless steel (AISI 316, exterior) · Packaging unit 10 items

ART. NO.

BO 6001016



Assembly tool

i Packaging unit 1 item

ART. NO.

BO 6001020

* Fixings anchors for plastic/PVC frames available on request



Spare face fixed end caps

i Finish aluminium, plain anodised, packing unit 4pcs

ART. NO.

BO 6001021






Spare side fixed end caps




i Finish aluminium, plain anodised, packing unit 4pcs



ART. NO.

BO 6001022



Tools





Bohle Ltd.
Fifth Avenue
Tameside Park, Dukinfield
Cheshire. SK16 4PP

T +44 161 3421100
F +44 161 3440111
info@bohle.ltd.uk
 [@bohleltd](https://twitter.com/bohleltd)

